

Specifications

Model			ZG222		ZG227		ZG327		ZG332		
			ZG222A-48		ZG227A-54		ZG327PA-60		ZG332LP-72		
Engine	Model		Kubota KGZ770-E2-MA3		Kubota KGZ770-E2-MA2		Kubota KGZ770-E2-MA1		Kubota WG972-G-E3-ZG-1		
	Type		Petrol, air-cooled V-Twin with heavy-duty canister air filter						Petrol, liquid-cooled (3 cyl.)		
	Max. horsepower* (Gross)		HP	21.1* @3200 rpm		26.0* @3200 rpm		32.5* @3600 rpm			
	Total displacement		cc	768						962	
Dimensions	Starting system		Key switch								
	Overall length		mm	2096				2230		2414	
	Overall width	(w/ mower)	mm	1552		1710		1911		2224	
		(w/o mower)	mm	1210				1460			
	Overall height	(w/ ROPS upright)	mm	1775				1915			
(w/ ROPS folded)		mm	1340				1555		1645		
Wheel base			mm	1295				1410		1495	
Tread	Front	mm	870				975		1070		
	Rear	mm	930				1150				
Tyre size	Front		13 x 5.0-6 Pneumatic				15 x 6.0-6 Not-flat				
	Rear		23 x 10.5-12				26 x 12.0-12				
Weight (w/ mower) (without fuel)			kg	530		540		710		800	
Transmission system			2-HST w/ Gear reduction								
Speed control			2-hand lever								
Travel speed range	Forward	km/h	0-14.5				0-17.0				
	Reverse	km/h	0-8.0				0-8.5				
Brake type			Wet multi disks, foot applied, released								
PTO	Type		Shaft drive								
	Clutch type		Hydraulic independent PTO clutch with wet multi disks								
	PTO brake		Wet single disk								
Mower deck	Model		RCK48P-222Z		RCK54P-227Z		RCK60P-327Z		RCK72P-332Z		
	Mower lift system		Hydraulic								
	Mower deck type		Pro commercial— Fabricated deck								
	Deck depth	in. (mm)	6.0 (152)				6.5 (165)				
	Belt type		Multi-Belt								
	Deck steel thickness	in. (mm)	0.15 (3.8)				0.17 (4.2)				
	Anti-scalp roller						Rigid		Swivel		
	Cutting width of mower		in. (mm)	48 (1219)		54 (1372)		60 (1524)		72 (1826)	
	Number of blades		3 blades								
	Cutting height		1 in. ~ 5 in. / 1/4 in. increments								
	Mounting system of mower		Quick joint, parallel linkage								
	Blade tip speed (max.)		FPM	17000				18100		18200	
Engine stop system			Key stop								
Fuel tank capacity			ℓ	27				48			
Battery			U1L-10 (12 V, RC: 22 min., CCA: 300, CA: 365)								
Alternator capacity			Amps	13.4 A at 12 Volts						14 A at 14 Volts	
Hour meter			Standard								
Fuel gauge			Electric								

* Power (hp) specifications for individual petrol engine model are rated pursuant to Society of Automotive Engine (SAE) J1940 based ongross output performed in accordance with SAE J1995.
The company reserves the right to change the above specifications without notice.
This brochure is for descriptive purposes only. Please contact your local Kubota dealer for warranty information.
For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications.

Optional Attachments

"CATCH ALL" 2-BAG STYLE GRASS CATCHER (GCK48-200ZG/GCK54-200ZG/GCK60-331ZA)
The large capacity catcher allows the operator to mow longer over a larger area without stopping as often to empty clippings. For the quick removal of grass clippings, the lid is simply unlocked and the bag slides out. **Not available for ZG332*

Grass catchers, mulch kits, and work light kit are available for selected models. See dealer for details.

Optional Mulching System
These Pro Commercial mower decks are perfect for mulching, even on thick grass. Kubota's unique flow plate design optimizes airflow to allow repeated cutting, and the special mulching blades provide an extra-fine cut to leave a beautiful finish.

- Options**
- Grass catcher
 - Mulch kit
 - Work light kit



Kubota Australia Pty Ltd
25-29 Permas Way, Truganina VIC, 3029 Australia
Freecall: 1800-334-653
Email: sales@kubota.com.au

Web Site: <http://www.kubota.com.au>

Kubota New Zealand Limited
Freecall: 0800-582-682
Email: sales@kubota.com.au
Web Site: <http://www.kubota.co.nz>



For Earth, For Life
Kubota



KUBOTA ZERO-TURN MOWER
ZG Series

The ZG-Series petrol zero-turn mowers are built with Kubota-quality components to provide the very best in lawn care.



**Kubota's ZG mowers make lawn care so comfortable,
easy and productive, you won't want to stop.**

If you're looking for an efficient, easy-to-use, high-performance mower that produces immaculate results every time, then Kubota's ZG-Series zero-turn mowers were made for you. With the ZG-Series' main components, the state-of-the-art Kubota petrol engine, the reliable Kubota HST transmission and Kubota Pro Commercial mower decks, made by a single manufacturer, these zero-turn mowers are truly one-of-a-kind in the industry. This solid combination of commercial-quality components is what makes the ZG-Series deliver the performance you've been looking for.



ZG227
with 54" deck



ZG222
with 48" deck



ZG327
with 60" deck



ZG332
with 72" deck

ZG SERIES

Top to bottom, front to back, and inside and out, Kubota's ZG-Series of zero-turn mowers are engineered for quality. These premium mowers incorporate the best of Kubota's advanced technology in every detail and function to ensure both superior mowing performance and supreme operator comfort. No matter how you measure quality, the ZG-Series delivers.

Kubota Quality



Durable Kubota Petrol Engine

The V-Twin Kubota petrol engine delivers durability and productivity like nothing else. Available in 22HP, 27HP or 32.5HP, this reliable, air-cooled engine offers outstanding performance and quiet operation. Specifically designed for mowing, it features Kubota's clean-flow structure, which virtually eliminates the likelihood of grass clippings clogging the wide cooling air passage. And Kubota makes maintenance simple—the engine cover can be removed so you can perform routine maintenance. Plus, a unique carburetor drain cock allows you to drain out residual petrol, to keep fuel lines clean and making the transportation or long-term storage of the mower safer.



Clean-flow Structure



Carburetor Drain Cock*

*When in use, consult operator manual and handle with care.



Removable Engine Cover



Kubota Reliable Hydrostatic Transmission

The large-capacity HST brings performance to a new level. Regulated by an efficient gear hydraulic charge pump, the HST delivers smooth control, quiet operation and a quick response. Plus, the durable copper metal cylinder block ensures transmission durability and performance.



ZG300 models

Wet-type hydraulic PTO clutch; tractor technology/durability

HST capacity: High volume/low pressure for long life

Strong casting rear shaft cover for durability

Replaceable, large suction paper cartridge filter keeps the transmission clean

External, gear-hydraulic charge pump keeps the pumps primed


Extended rear axle case for added strength

Enclosed hydraulic control valves for mower deck lifting requires no external hoses

Durable copper metal cylinder face promotes smooth pump operations

Wet-type multi-disk brakes tractor technology (on parking brake) for added durability

Final gear reduction for improved efficiency and torque



Performance and outstanding operability

Indicator Panel

The ergonomically angled control panel enables easy viewing and keeps most major controls and indicators within close reach. It includes fuel and oil gauges, cutting height adjustment dial, locking PTO lever and more.



1/4" Increment Cutting Height Adjustment

Hands-free Parking Brake/Deck Lift Pedals

With the ZG300, you only need to depress a single pedal to park the mower. And, thanks to the 2-pedal hydraulic deck lift system, you can easily raise and lower the deck to keep mowing in spite of obstacles. All three pedals are placed directly in front of you on the angled footboard for easy access.



ZG300 models



ZG200 models

Flexible Cover


The ZG-Series employs a flexible-yet-sturdy discharge cover to help prevent damage to shrubs and landscaping.



6.5-inch Deep Mower Deck (for 60/72 inch Decks)

Pro Commercial Mower Deck

The ZG300 features a heavy-duty, 60"/72" Pro Commercial mower deck for superior cutting performance. With a deck depth of 6.5 inches—the deepest in the industry—it features a unique baffling system that improves airflow to discharge grass clippings, and an anti-overflow system, which reduces grass spillage. The deck utilizes a flexible-but-sturdy discharge cover, which helps prevent damage to shrubs and landscaping. It's the ideal mower deck—for any mowing job.



Semi-pneumatic (Flat-free) Front Tyres (ZG300 models only)

An industry first for this size, the 15", flat-free caster tyres were created to absorb impacts with the rigidity of their structural thickness. This feature greatly reduces the worry of downtime from flat tyres, so you can spend more time working.



Comfort and maintenance

High-back Deluxe Suspension Seat (ZG300 models only)

When you're mowing all day long, comfort is a necessity. And Kubota's standard deluxe link-type suspension seat takes comfort to a whole new level. The extra-wide seat features adjustable armrests, lumbar support, weight adjustment, and much more, to give the operator a custom fit.



Mower Access

The ZG-Series features a special maintenance hatch, with a built-in storage pocket, on the full-flat operator platform. It allows easy access to the upper mower, mower belt, gearbox case and universal joint.



Cup Holder

Full-Flat Operator Platform

Easy Maintenance

Maintenance doesn't get any easier. The seat panel lifts up for quick access to the HST, the hood opens for routine maintenance (adding oil, etc.), an operator platform hatch makes upper mower access a snap—and all three can be opened at once. Plus, tilt-up lift feature is also available for routine maintenance underneath the mower.



Maintenance Lift

HST Access

Engine Access



Mower Access

Adjustable Speed Control Levers



Instrument Panel

With the user-friendly instrument panel, Kubota keeps essential controls and indicators close for easy access and viewing. They're all here—warning indicator, fuel gauge and more.



The ZG200 Series provides the convenience and versatility of a compact mower with professional performance and power.

Kubota's rugged ZG300 petrol-engine mower easily tackles the toughest mowing jobs.



48"
Pro commercial
mower

PETROL ENGINE MODEL
ZG222

- 22HP Kubota petrol engine
- 6"-deep, 48"-wide mower deck
- High-performance HST transmission
- Full-flat operator platform
- Comfortable seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift



60"
Pro commercial
mower

PETROL ENGINE MODEL
ZG327

- 27HP Kubota petrol engine
- 6.5"-deep, 60"-wide mower deck
- Semi-pneumatic (flat-free) front caster tyres
- High-performance HST transmission
- Full-flat operator platform
- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift



54"
Pro commercial
mower

PETROL ENGINE MODELS
ZG227

- 27HP Kubota petrol engine
- 6"-deep, 54"-wide mower deck
- High-performance HST transmission
- Full-flat operator platform
- Comfortable seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift



72"
Pro commercial
mower

PETROL ENGINE MODEL
ZG332

- 32.5HP Kubota petrol engine
- 6.5"-deep, 72"-wide mower deck
- Semi-pneumatic (flat-free) front caster tyres
- High-performance HST transmission
- Full-flat operator platform
- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift